§ 520.2340

- (b) *Sponsor*. See No. 000856 in §510.600(c) of this chapter.
- (c) Conditions of use—(1) Amount. Administer one tablet orally per 4 pounds of body weight. ¹
- (2) *Indications for use*. Use in dogs and cats as an aid in treatment of bacterial pneumonia and bacterial enteritis when caused by organisms sensitive to sulfisoxazole. ¹
- (3) Limitations. Repeat dosage at 24-hour intervals until 2 to 3 days after disappearance of clinical symptoms. (Administration of one-half daily dosage at 12-hour intervals or one-third daily dosage at 8-hour intervals will provide a more constant blood level.) Provide adequate supply of drinking water. If symptoms persist after using this preparation for 2 or 3 days, consult a veterinarian. ¹

[43 FR 60895, Dec. 29, 1978]

§520.2340 Tepoxalin.

- (a) Specifications. Each tablet contains 30, 50, 100, or 200 milligrams (mg) tepoxalin.
- (b) *Sponsor*. See No. 000061 in §510.600(c) of this chapter.
- (c) Conditions of use in dogs—(1) Amount. 10 mg per kilogram (/kg) daily; or 20 mg/kg on the initial day of treatment, followed by 10 mg/kg daily.
- (2) Indications for use. For the control of pain and inflammation associated with osteoarthritis.
- (3) *Limitations*. Federal law restricts this drug to use by or on the order of a licensed veterinarian.

[68 FR 34795, June 11, 2003]

§520.2345 Tetracycline.

$\S\,520.2345a$ Tetracycline hydrochloride capsules.

- (a) *Specifications*. Each capsule contains 50, 100, 125, 250, or 500 milligrams (mg) tetracycline hydrochloride.
- (b) *Sponsor*. See sponsors in §510.600(c) of this chapter for use as in paragraph (c) of this section:
 - (1) No. 000009: 250 mg per capsule.
- ¹These conditions are NAS/NRC reviewed and deemed effective. Applications for these uses need not include effectiveness data as specified by §514.111 of this chapter, but may require bioequivalency and safety information

- (2) No. 000069: 125, 250, or 500 mg per capsule.
- (c) Conditions of use in dogs—(1) Amount. 25 mg per pound of body weight per day in divided doses every 6 hours.
- (2) Indications for use. For treatment of infections caused by organisms sensitive to tetracycline hydrochloride, such as bacterial gastroenteritis due to *E. coli* and urinary tract infections due to *Staphylococcus* spp. and *E. coli*.
- (3) *Limitations*. Federal law restricts this drug to use by or on the order of a licensed veterinarian.

[70 FR 50182, Aug. 26, 2005, as amended at 73 FR 18442, Apr. 4, 2008]

§520.2345b Tetracycline tablets.

- (a) *Specifications*. Each tablet contains 100, 250, or 500 milligrams of tetracycline (as the hydrochloride).
- (b) Sponsor. For 100, 250, or 500 milligrams per tablet, see No. 000069 in \$510.600(c) of this chapter. For 250 milligrams per tablet, see No. 000009 in \$510.600(c) of this chapter.
- (c) Conditions of use. Dogs—(1) Amount. 25 milligrams per pound of body weight per day in divided doses every 6 hours.
- (2) Indications for use. Treatment of infections caused by organisms sensitive to tetracycline hydrochloride, such as bacterial gastroenteritis due to *E. coli* and urinary tract infections due to *Staphylococcus* spp. and *E. coli*.
- (3) Limitations. Administer orally; continue treatment until symptoms of the disease have subsided and temperature is normal for 48 hours; not for use in animals raised for food production; Federal law restricts this drug to use by or on the order of a licensed veterinarian.

[57 FR 37327, Aug. 18, 1992]

§520.2345c Tetracycline boluses.

- (a) *Specifications*. Each bolus contains 500 milligrams of tetracycline (as the hydrochloride).
- (b) *Sponsors*. See No. 053501 in §510.600(c) of this chapter for use as in paragraph (d)(1) of this section. See No. 000009 in §510.600(c) of this chapter for use as in paragraph (d)(2) of this section.